DIVERSIFIED AIR SYSTEMS, INC.

# **INFLO-BOB**

 ${\it Portable\ Blow-Off\ Booth}$ 

- Ships fully assembled
- Plug and play unit, total self-contained downdraft booth
- Dust tight florescent light mounted out of air stream



- Recirculates clean air, which eliminates the need for expensive exhaust
- Motor and electrical mounted out of air stream with spark resistant blower wheel
- High efficiency media filters with a refillable adsorption module

Superior technology generating substantial operating savings

#### MAXFLO PORTABLE BLOW-OFF BOOTH

Diversified Air Systems, Inc. now offers an easy to use portable blow-off booth. The MAXFLO-BOB is a totally self-contained portable filtration unit. Standard filtration consist of multiple pass polyester pre-filters followed by a MERV 14 (95% at 1 micron) box filter with final refillable adsorption module. Separate access door allows for easy access to filters. The motor is mounted out of the air stream with direct drive spark resistant blower wheel. Florescent light, on/off switch and wiring are all located out of the airstream. Just roll the unit to your job, plug it in and turn it on.

#### **OUTSTANDING STANDARD MAXFLO-BOB FEATURES**



#### TYPICAL APPLICATION FOR THE MAXFLO BLOW-OFF BOOTH


• Spray Painting • Solvent Fumes/Mist • Dust • Fumes • Laboratories • Powders • Blow Off Station, etc...

Made in USA
1 YEAR LIMITED WARRANTY

CALL TODAY: 800-264-8958

### **OUTSTANDING MAXFLO FB SERIES FEATURES**





# **SPECIFICATIONS**

Dimensions: 30" W x 39" D x 74" H

Working Table Height: 41"

Working Surface: 30" Width x 24" Depth

Electrical: 1 HP Motor, 120/1/60

Direct Drive Motor with Spark Resistant Blower Wheel

CFM: 1000 CFM Nominal

Downdraft Velocity: 200 FPM Nominal

Weight: 450 lbs.

Max Table Load: 300 PSF Noise: 70 DBA Nominal

Construction: 14 Gauge Cabinet Color: Powder Coated Gray

# **OPTIONAL FEATURES**

- Steel bar grate
- Large enclosure 4' wide x 2' deep
- HEPA filtration
- 1.5 HP motor 1900 CFM Nominal
- Additional Absorption Modules

Note: Specifications listed above may be modified to suit application. contact D.A.S. or representative for information.

# Diversified Air Systems, Inc.

10801 Electron Drive, Louisville, Kentucky 40299

Toll free: (800) 264-8958

Tel.: (502) 267-0333 • Fax: (502) 267-4241

Website: www.diversair.com • email: info@diversair.com